

HUAWEI IdeaHub ES2

New Style Smart Office


BYOM | HD cloud conferencing | Wi-Fi 6 for direct projection



IdeaHub ES2

Built on the next-gen hardware platform with high-computing power, HUAWEI IdeaHub ES2 is equipped with Bring Your Own Meeting (BYOM), HD immersive meeting quality, Wi-Fi 6 for direct projection, and ultra-low writing latency, easily adapting to mainstream cloud meeting apps. It is a perfect solution for boundless collaboration and communication to fit in any room, such as regular meeting room, executive office, and open office area.

All-Scenario Smart Office Ecosystem



Regular meeting room

Local workshop, remote meeting, and business meeting

Executive office

Remote interview, employee debriefing, and CXO business meeting

Open area

Regular meeting, instant discussion, and team-building meeting



Multi-functional training room

Group discussion, employee development, simulation training,

Exhibition and demonstration

Corporate culture display, welcome board, and activity promotions

Smart nursing

Nurse scheduling, intelligent handover, and intelligent display of nursing projects

^{*} Product pictures and display content in this document are for reference only. Actual product specifications and display content (including but not limited to backgrounds, interfaces, and illustrations) may vary.

All-in-One Collaboration Endpoint



4K Soft Light Screen

- · 4K UHD display, restoring all image details
- Optical anti-blue light, for eye protection and zero color cast
- Flicker-free display, ensuring a comfortable viewing experience





Professional 4K Camera for Video Conferencing

- 2 μm² ultra-large photosite size for doubled signal-to-noise ratio (SNR)
- Huawei-developed AI algorithm, ensuring true-to-life, natural clarity
- Circulating heat dissipation for consistent resolution even after long meetings

Acoustic Engine 2.0 for Clear Voice from Far Away

- 12-meter ultra-long-distance sound pickup, perfect for large meeting rooms
- DNN-based dereverberation, ensuring crystal clear voice in rooms with glass surfaces
- · AEC algorithm, eliminating interference when multiple speakers are speaking at two sites







3D Stereo Field for Optimal Sound Experience

- Dual chambers and four speakers, delivering stereo sound
- Max. of 95 dB sound pressure level for clear sound even in large rooms
- Self-developed bass booster, enhancing the overall sound quality

Smart Office



Bring Your Own Meeting (BYOM)

- Effortless projection through the IdeaShare app
- No need for additional applications or OPS, making it more cost-effective and user-friendly




Immersive FHD Intelligent Meeting

- Voice tracking, Auto-Framing, and acoustic baffle, delivering an immersive experience
- 1080p native Huawei Cloud Meeting
- Features H.264 + SIP dual protocols HD hardware codec

Wi-Fi 6 for Direct Projection

- Sync with the HUAWEI IdeaHub ES2 by simply enabling Wi-Fi on a mobile phone or PC, without the need to join the same LAN
- Effortless projection through the IdeaShare app



Intelligent Whiteboard as Easy as Pen on Paper

- 16 ms low-latency screen for synchronous writing
- Accurate text and graphic identification, and conversion from handwritten to digital content



Smart Office

Multi-Window for Efficient Multitasking

- · Dual applications on one screen for doubled efficiency
- · Adjustable window ratios (1:1, 1:2, and 2:1)





App Multiplier: Massive Apps to Fit Your Needs

- App display in dual windows, allowing you to navigate between content and details on one screen
- App home screen on the left and content screen on the right

Enterprise-level Information Security

Enterprise-level E2E Security Protection

Chip-device-pipe-cloud end-to-end (E2E) protection and CC EAL5+ high-level security certification for global commercial systems



Intelligent O&M



IdeaManager Device Management Platform

IdeaManager allows for remote management and control of multiple devices, including basic device configuration, remote over-the-air (OTA) updates, and startup animation and bulletin board pushes.

Technical Specifications

Product Name HUAWEI IdeaHub ES2



Product model

65": IHE2-65SA 75": IHE2-75SA 86": IHE2-86SA

Product dimensions (H x W x D)

65": 947.5 mm x 1484.5 mm x 91.6 mm 75": 1071.9 mm x 1705.7 mm x 91.8 mm 86": 1212.0 mm x 1953.0 mm x 91.8 mm

Package dimensions (H x W x D)

65": 1050 mm x 1650 mm x 220 mm 75": 1170 mm x 1900 mm x 220 mm 86": 1300 mm x 2090 mm x 250 mm

Net/Gross weight (including the package)

65": 35.5 kg/ 43.0 kg 75": 47.0 kg/ 57.0 kg 86": 62.0 kg/ 73.5 kg

The dimensions and weight may vary with configuration, manufacturing process, and measurement method. The product height includes the camera (55 mm).

		Thailidit Gray	and measurement method. The product height includes the camera (55 mm).
Component			
Device		Stylus pen	Cable
1		2	1 x power cable
Rolling stand		Wall-mounted bracket	IdeaShare Key
Optional (65", 75", and 86"	1.1	Optional (65", 75", and 86")	Optional (Type-A/Type-C)
OPS			
Optional		Note: VESA moun	ting sizes are M8 x 25 mm (600 mm x 400 mm for 65", 800 mm x 400 mm for 75"/86"
Screen			
Resolution		Backlight type	Screen lamination
4K (3840 x 2160 pixels)		D-LED	Zero-gap bonding
Writing			· 0/1/2
Latency		Touch sensing distance	Intelligent writing recognition
16 ms		≤ 2 mm	Supports recognition of Chinese, English, and 11 types of graphics
Camera			
Resolution		Sharpness	Lens cover
4K		1800 lines	√
Horizontal FoV		TV distortion	
80°		<2%	
Speaker	0,		
Frequency domain		Number of units	Total power
100 Hz to 20 kHz		4	40 W

Sound pickup angle	Cound nickup distance	
	Sound pickup distance	Frequency domain
180°	12 m	80 Hz to 20 kHz
Optimized sound pickup		
Sound source location, echo cancellation, and	automatic gain control	
Conferencing	~ O,	
Native meeting	Dual streams (audio/video + data sharing)	ВУОМ
Huawei Cloud Meeting	On-premises conference: 1080p 30 fps + 1080p 30 fps/4K 8 fps	√
On-premises conference	Huawei Cloud Meeting: 1080p 30 fps + 1080p 30 fps/4K 8 fps	
AI Function		
Auto-Framing	Intelligent tracking	Acoustic baffle
√	√	√ <u>~</u> 1
DNN-based dereverberation*		
√		* Deep Neural Network (
System	187	
CPU	RAM	Flash
8-core	12 GB	64 GB
Operating system	Security	Language
HarmonyOS, Windows*	Embedded encryption chip that supports H.235, STARTTLS, TLS, SRTP encryption, secure boot, and TEE	Simplified Chinese, English, French, Japanese, Arabic, Spanish, Russian, German, Portuguese, and Italian
Wireless Connection		*An OPS plug-in computer is required for Wi
Wi-Fi module	Wi-Fi frequency	NFC
Wi-Fi 6	2.4 GHz + 5 GHz	√
Interface		N
Video input	Video output	Audio input
1 x HDMI (up to 4K)	1 x HDMI (up to 4K)	1 x 3.5 mm LINE IN 1 x HD-AI
Audio output	Other ports	
1 x 3.5 mm LINE OUT	3 x USB Type-A 3.0 1 x USB Type-C	

Product information, specifications, and features may vary by product model and system version. The information on this page is for your reference only and is subject to changes. For full information, see the official Huawei website.

Huawei Technologies Co., Ltd.

Huawei Industrial Base, Bantian, Longgang, Shenzhen for breview

Tel: (0755) 28780808 Post code: 518129 www.huawei.com



No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

WE HUAWEI, HUAWEI, We are trademarks or registered trademarks of Huawei Technologies Co., Ltd.

Other trademarks, products, services and company names mentioned are the property of their respective owners.

Disclaimers

The technical specifications described in this document include but are not limited to parameters and performance indicators and vary depending on the actual release. This document does not constitute a warranty of any kind, expressed or implied. Huawei may update relevant information from time to time. Huawei reserves the right to update or correct the information about related products or solutions. For details, see the latest release notes or introduction.

Updated: December 2023